Texas Voice Center C. Richard Stasney, MD, FACS, Director Apurva A. Thekdi, MD 6550 Fannin, Suite 2025 Houston, Texas 77030 (713) 796-2181

call (on a working day) before surgery for:
time of surgery
make post-op appt

- anesthesia questionnaire

- Map

- pain medication (get written prescription)

## **PRE-OPERATIVE INSTRUCTIONS**

Patient Name:		Pre-Op date:	Time:	am/pm
Surgery Date:	Hospital:			
Procedure:				

## **INSURANCE:**

We will file insurance for your pre-operative visit and the surgical procedure. Please give us the correct information so we can verify your coverage and pre-certify the procedure prior to the surgery date. We will need 1) the name of the responsible person, 2) the insured's SS #, 3) your insurance company's address and phone number, and 4) group or policy number. Insurance requires us to inform you that it is possible that an out-of-network provider may render treatment during the procedure. If you have any questions, call James Carazola at 713-275-0916. We file insurance as a courtesy to our patients; however, it is your responsibility to contact your insurance company regarding available benefits and any possible exclusion.

METHODIST: ANESTHESIA GREATER HOUSTON: 713-620-4000 (this is the anesthesia group Methodist uses)

**HOSPITAL PREREGISTRATION: METHODIST:** Preregister by contacting Registration and Patient Access at 713-394-6805 or online at methodisthealth.com (Click Registration/Apps, then Hospital Registration, then The Methodist Hospital). Please call them one week prior to surgery if they have not contacted you. **KIRBY SURGICAL CENTER**: 832-201-5157

## PRE-OPERATIVE INFORMATION:

If a sore throat, fever or any infection or illness develops prior to your surgery date, please notify Dr. Stasney/Dr. Thekdi's office (713) 796-2181.

**DO NOT TAKE ASPIRIN**, or other products containing aspirin, Ibuprofen (such as *Advil*®, *Motrin*®), Naproxen (such as *Aleve*® or *Nuprin*®), blood thinners (such as *Coumadin*® (*warfarin*), *Plavix*® (*clopidogrel*), *Effient*® (*prasugrel*), *Pradaxa*® (*dabigatran*), *Xareito*® (*rivaroxaban*), *Eliquis*® (*apixaban*)), concentrated Vitamin E, or the Parkinson's Disease medication *Azilect*® (rasagiline) for two weeks prior to surgery. See attached list of pharmaceutical products to avoid. *Tylenol* or *Tempra* may be used when necessary for fever or pain.

## <u>PLEASE HAVE YOUR FAMILY DOCTOR/INTERNIST SEND US THE FOLLOWING MEDICAL HISTORY, BLOOD</u> <u>ANALYSIS, & PHYSICAL EXAMINATION CLEARING YOU FOR SURGERY:</u>

- 1. History and Physical not to exceed 2 weeks from the date of surgery
- 2. Laboratory Results not to exceed 2 weeks from the date of surgery:
  - a. CBC, platelet count, PT, PTT, UA
  - b. Metabolic panel (Na, K, Cl, CO2, GLU, BUN, Cr, AST, ALT)
- 3. Cardiopulmonary Tests for patients over 40: not to exceed 3 months prior to surgery
  - a. EKG
  - b. Chest X-Ray

### \* If you have a history of cardiac problems, your clearance must come from your CARDIOLOGIST

All history & physical and laboratory results must be in our facility 3-4 days prior to surgery; you may send the information via Fax to (713) 796-2349 (attention: Margarita). Please call to check on the status of surgery clearance

POST SURGERY APPOINTMENT: Make an appointment to see Dr. Stasney or Dr. Thekdi one week after surgery.

Please contact Margarita (713) 796-2181 ext 125 or through the Patient Portal (NextMD.com) if you have any questions or concerns. If you need help enrolling in or accessing the portal please call our office and someone will help you.

## Texas Voice Center C. Richard Stasney, MD, FACS, Director Apurva A. Thekdi, MD 6550 Fannin, Suite 2025 Houston, Texas 77030 (713) 796-2181

# HISTORY AND PHYSICAL SHORT STAY FORM For admissions of 48 hours or less

Name: Date:	
HISTORY	
CHIEF COMPLAINTS:	
PRESENT ILLNESS:	
PAST HISTORY:	
FAMILY HISTORY:	
ALLERGIES:	
CURRENT MEDICATIONS:	
PHYSICAL EXAMINATION	
HEIGHT WEIGHT BLOOD PRESSURE/ PULSE	
GENERAL:	
EENT:	
NECK:	
LUNGS:	
THORAX:	
HEART:	
ABDOMEN:	
BACK & EXTREMITIES	
IMPRESSION:	
CLEARED FOR SURGERY? YES NO	, MD

**Physician's Signature** 

### The following products can increase the risks of bleeding. Prior to surgery please avoid the use of these products, as directed by your physician.

Anaprox APC Artha-G Asproject Axotal Azdone D-A-C **Butabital Compound** Clinoril Damason-P Darvon Compound **Pulvules** Darvon-N Compound 65 Pulvules Darvon with A.S.A. Pulvules

Alka-Seltzer Plus Cold Tabs Coricidin Dristan

Advil A.S.A. Enseals A.S.A. Pulvules Anacin Anodynos Tabs Arthritic Str. BC Powder Ascriptin Aspergum Aspirin Caps Bayer Children's Chewable Aspirin Bayer Children's Aspirin **BC** Powder BC Tabs Buffa-Comp

PAIN RELIEVERS/ANTACIDS TO BE AVOIDED Alka-Seltzer Alka-Seltzer & Antacid Alka-Seltzer Extra Strength & Antacid Ascriptin Ascriptin A/D

Absorbent Rub Absorbine Arthritic Absorbine Jr. Act-On-Rub Analbalm Analgesic Balm Antiphlogistine Arthralgen Aspercreme Aspirin Suppositories Banalg Ben Gay

### PRESCRIPTION PAIN RELIEVERS TO BE AVOIDED

Darvon-N.A.S. Disalcid Dolobid Doloprin #3 Easprin Empirin with Codeine Epromate Tabs Equagesic Equazine-M Feldene Fiorgen PF Fiorinal Fiorinal with Codeine Indocin Isollyl Improved Lanorinal

Lortab ASA Tabs Magan Meprobamate & Aspirin Meprogesic Q Tabs Micrainin Mobidin Monacet with Codeine Mono-Gesic Naprosy Norgesic Panalgesic Percodan-Tabs Percogesic Persistin Rexolate Robaxisal

Roxiprin Tabs Salflex Salgesic Salsitab Sodium Thiosalicylate Soma Cmpd - Codeine Ster-Darvon with ASA Synalgos-DC Talwin Compound Tolectin Trilisate Liquid Trilisate Tabs Tusal Zorprin

#### COLD AND ALLERGY MEDICINES TO BE AVOIDED

**Fiogesoc Tabs** Rhinocaps caps Sine-Aide

Cama Arthritis Pain Rel.

Children's Aspirin

Dasin Caps

Doan's Caps

Duradyne Tabs

Ecotrin Max. Strength

Excedrin Caps & Tabs

Genuine Bayer Aspirin

Bufferin Extra Strength

Buffets II Tabs

Ben Gay Str. Balm

Ben Gay Original

Counterpain Rub

Ben Gay Greasless Oint.

Ben Gay Gel

Duentric

Ecotrin

Emprazil

Empirin

Gelpirin

Gensan

Buffaprin

Bufferin

Buffex

**Buffinol** 

Braska

Dencorub

Doan's Rub

Emul-O-Balm

Exocaine Plus

Exocaine Tube

Duragesic

End-Ake

Gemnisyn

OVER THE COUNTER PAIN RELIEVERS TO BE AVOIDED

Goody's Headache Pwdr Ibuprofen Magnaprin Measurin Midol Caps Momentum Caps Motrin Norwich Extra Strength Nuprin Pabalate Pabirin Buffered Tabs P-A-C Tabs Pain Reliever Tabs Salagen

Cope Tabs

Presalin

Zomax

Salatin Caps Saleto Salocol Sodium Salicylate Supac Synalgos Caps Synalgos D.C. Tenol-Plus Tabs Trigesic Tri-Pain Valesin Tabs Uracel 5 Verin

Sine-Off Sinus Medicine Tabs

Triaminicin

Urinus In-Lay Tabs

#### HERBAL MEDICATIONS TO AVOID Echinacea

Vitamin E

Fish Oil

St. John's Wart

Ginko

Pepto Bismol Vanquish Caps Wesprin Buffered

**TOPICAL MEDICATIONS TO BE AVOIDED** Heet Heet Liniment Heet Spray Icy Hot Balm & Rub Infra-Rub Mentholatum Deep Htg. Minit-Rub Musterole Rubs (all) Neurabalm Oil-O-Sol Omega Oil Panalgesic Rid-A-Pain

Rumarub Sloan's Soltice Hi-Therm Soltice Quick Rub Sport Crème SPD Stimurub Surin Yager's Liniment Vitamin E (& oral) Zemo Zemo Liq. Ext. Str.

Zemo Ointment

### COUMADIN AND PLAVIX ARE TO BE AVOIDED AS ARE DIET MEDICATIONS

New drugs appear on the market every day. If you do not see the name of the pain, cold/allergy or herbal medicine you are considering taking, please call Texas Voice Center to ask for guidance: 713 796-2001.

Do not take any type of prescription or over the counter diet pill for a minimum of 2 weeks prior to surgery. These medications can cause life-threatening interactions with drugs used for anesthesia.